

#6

**REPLACEMENT PAGES**

2023-2024-46573007

specific details of the illustrated embodiments is by way of  
example and not by way of limitation.

2023-04-06 10:00:00

## CLAIMS

What is claimed is:

1. A method of heating a packaged food product, comprising:  
providing a roller-type grilling machine;  
providing a food product in a sealed package, said sealed package comprising an elongate, substantially cylindrical tube, said food product contained within said sealed package;  
placing the sealed package on the grilling machine;  
rotating the sealed package with the grilling machine; and  
heating the product to a desired temperature on the grilling machine.

2. The method of claim 1, further comprising pre-cooking said food product prior to placement in said sealed package.

3. The method of claim 1, further comprising providing a pair of end caps, one on each end of the tube, at least one of the end caps configured to be removable by a consumer for removing the food product from the tube.

4. The method of claim 3, further comprising providing the end caps with a larger diameter than the diameter of the tube so that the end caps contact at least one heating element of the

grilling machine and suspend the tube above at least one heating element of the grilling machine.

5. The method of claim 3, further comprising providing at least one of the end caps with a secondary food chamber for containing a second food product.

6. The method of claim 5, further comprising attaching a membrane to said at least one of the end caps for separating the secondary food chamber from the food product.

7. The method of claim 1, further comprising providing an outer housing around said tube, said outer housing and said tube defining an annular space thereinbetween for receiving a plurality of roller bearings that allow the outer housing to rotate while the inner tube remains in a substantially upright position.

8. The method of 1, further comprising providing said sealed package with a substantially sealed bag within said tube, said food product being contained within said bag.

9. A method of vending a pre-packaged food product, comprising:

providing a roller-type grilling machine;  
providing a pre-cooked food product in a substantially sealed  
package, said sealed package configured to be rotated and  
simultaneously heated by the grilling machine;  
placing the sealed package on the grilling machine for rotating  
and heating the food product in the substantially sealed  
package;  
rotating the substantially sealed package with the grilling  
machine;  
heating the food product to a desired temperature on the grilling  
machine; and  
selling the heated food product in the substantially sealed  
package to a consumer.

10. The method of claim 9, further comprising heating said  
food product to a temperature of between approximately 90 and 230  
degrees Fahrenheit.

11. The method of claim 9, further comprising heating said  
food product for a period of up to approximately six hours  
without significantly diminishing the freshness of the food  
product.

12. The method of claim 9, further comprising providing a pair of end caps, one on each end of the sealed package, at least one of the end caps configured to be removable by a consumer for removing the food product from the sealed package.

13. The method of claim 12, further comprising providing the end caps with a larger diameter than the diameter of the remainder of the sealed package so that the end caps contact at least one heating element of the grilling machine and suspend the remainder of the sealed package above at least one heating element of the grilling machine.

14. The method of claim 12, further comprising providing at least one of the end caps with a secondary food chamber for containing a second food product.

15. The method of claim 14, further comprising attaching a membrane to said at least one of the end caps for separating the secondary food chamber from the pre-cooked food product.

16. The method of claim 9, further comprising providing an outer housing around said sealed package, said outer housing and said sealed package defining an annular space thereinbetween for receiving a plurality of roller bearings that allow the outer

housing to rotate while the inner sealed package remains in a substantially upright position.

17. The method of 9, further comprising providing said sealed package with a substantially sealed bag, said food product being contained within said bag.

18. A method of vending a pre-packaged food product on a roller-type grilling machine, comprising:  
providing a food product in a substantially sealed package, said sealed package configured to be positionable and simultaneously heated by a roller-type grilling machine;  
placing the sealed package on the grilling machine for heating the food product in the substantially sealed package;  
heating the food product to a desired temperature on the grilling machine; and  
selling the heated food product in the substantially sealed package to a consumer.

19. The method of claim 18, further comprising heating said food product to a temperature of approximately \_\_\_\_\_ to \_\_\_\_\_ degrees Fahrenheit.

20. The method of claim 18, further comprising providing said sealed package in the form of an elongate tube with a pair of end caps, one on each end of the elongate tube, at least one of the end caps configured to be removable by a consumer for removing the food product from the sealed package.

21. The method of claim 20, further comprising providing the end caps with a larger diameter than the diameter of the remainder of the sealed package so that the end caps contact at least one heating element of the grilling machine and suspend the remainder of the sealed package above at least one heating element of the grilling machine.

22. The method of claim 20, further comprising providing at least one of the end caps with a secondary food chamber for containing a second food product.

23. The method of claim 22, further comprising attaching a membrane to said at least one of the end caps for separating the secondary food chamber from the food product.

24. The method of claim 18, further comprising providing an outer housing around said sealed package, said outer housing and said sealed package defining an annular space thereinbetween for

receiving a plurality of roller bearings that allow the outer housing to rotate while the inner sealed package remains in a substantially upright position.

25. The method of claim 18, further comprising providing said sealed package with a substantially sealed bag, said food product being contained within said bag.

26. The method of claim 18, further comprising configuring said sealed package to rest on a roller-type grilling machine without being rotated thereby.

27. The method of claim 26, further comprising providing said sealed package with at least one recess on a bottom thereof for at least partially receiving a roller of a roller-type grilling machine therein for holding the sealed package thereon.

28. The method of claim 27, further comprising providing said sealed package with a primary and secondary food chamber for containing two different food products.

29. The method of claim 27, further comprising means for releasing steam from said sealed package as said sealed package is heated.

30. The method of claim 18, further comprising heating said food product for a period of up to approximately six hours without significantly diminishing the freshness of the food product.

31. The method of claim 18, further comprising pre-cooking said food product prior to placing in said sealed package.

2025-10-10 10:10:10